

CAB INTERNATIONAL  
Library/Service Centre

26 APR 1995

ISSN 0013-8908

# THE ENTOMOLOGIST'S MONTHLY MAGAZINE

World List Abbreviation, 4th ed. (1963): *Entomologist's mon. Mag.*

EDITED BY

Prof. Sir Richard SOUTHWOOD, D.Sc., F.R.S., F.R.E.S.

Prof. M. G. MORRIS, Ph.D., F.I.Biol., F.L.S., F.R.E.S.

K. G. V. SMITH, C.Biol., F.I.Biol., F.L.S., F.R.E.S.

J. W. ISMAY, B.Sc., Ph.D., F.R.E.S.

P. M. HAMMOND, M.A., F.R.E.S.

W. R. DOLLING, B.Sc., F.R.E.S.

VOLUME 130

'J'engage donc tous à éviter dans leurs écrits toute personnalité, toute allusion dépassant les limites de la discussion la plus sincère et la plus courtoise.' — *Laboulbène*.

THE ENTOMOLOGIST'S MONTHLY MAGAZINE  
BRIGHTWOOD  
BRIGHTWELL, WALLINGFORD, OXON OX10 0QD

1994

---

Published by Gem Publishing Company

## CONTENTS

CONTRIBUTORS .....	iii
GENERAL INDEX .....	iv
SPECIAL INDEX –	
ARACHNIDA .....	vii
COLEOPTERA .....	vii
COLLEMBOLA .....	viii
DERMAPTERA .....	viii
DICTYOPTERA .....	viii
DIPTERA .....	viii
EPHEMEROPTERA .....	x
HEMIPTERA .....	x
HYMENOPTERA .....	x
LEPIDOPTERA .....	xii
NEUROPTERA .....	xiii
ORTHOPTERA .....	xiii
PSOCOPTERA .....	xiii
THYSANOPTERA .....	xiii
TRICHOPTERA .....	xiii
GROUPS OTHER THAN INSECTA AND ARACHNIDA .....	xiii
ERRATA AND CORRIGENDA .....	xiv

## DATES OF PUBLICATION

January/February/March/April	31st March 1994
May/June/July/August	29th July 1994
September/October/November/December	30th November 1994

# INDEX

This index covers the year 1994 (Vol. 130). Items occurring on the wrappers are indicated by Roman numerals. Prepared by Mrs A.V. Smith.

## INDEX TO CONTRIBUTORS

- |   |   |
|---|---|
| Ackland, D.M., 247, 249, xv                     | Lattin, J.D., 77  |
| Allen, A.A., 165, 204                           | Laurence, B.R., 105   |
| Anderson, R., 54, 131, 136                      | Liston, A.D., 34, 81, 85  |
| Archer, M.E., 103, 149                          | Luff, M.L., 131, 222  |
| Ashby, J.E., 48                                 | Lyszkowski, R.M., 102   |
| Askew, R.R., 87, 255                            | Majerus, M., 45, 205  |
| d'Assis Fonseca, E.C.M., (the late) 247         | Marmels, J. de, 223   |
| Badmin, J., 217, 226, 238                       | Marullo, R., 95   |
| Bass, M., 141                                   | Miles, P.M., 47   |
| Blackman, R.L., 172                             | Morris, M.G., 177, 186, xi  |
| Booth, R.G., 171                                | Mound, L.A., 95   |
| Bowstead, S., 175                               | Munari, L., 195   |
| Buck, M., 211                                   | Nau, B.S., 209  |
| Burn, J.T., 129                                 | Nieves-Aldrey, J.L., 191  |
| Carter, D.J., 102                               | Noerdjito, W.A., 63   |
| Carvalho, C.J.B., 229                           | Notton, D.G., 201   |
| Clynes, W., 84                                  | O'Connor, J.P., 76  |
| Constantine, B., 45, 62                         | Owen, J.A., 67, 139   |
| Cooter, J., 194                                 | Ozanne, C.M.P., 77  |
| Davis, A.J., 137                                | Pawlyszyn, B., 159  |
| Disney, R.H.L., 227                             | Plant, A.E., 248  |
| Dolling, W.R., 221                              | Plant, C.W., 253  |
| Durden, L.A., 137                               | Pont, A.C., 229, 247, 249   |
| Else, G.R., 75, 80                              | Quicke, D.L.J., 35  |
| Entwistle, P.F., 204                            | Read, R.W.J., 158   |
| Floater, G.J., 59                               | Reid, C.A.M., 63  |
| Fowles, A.P., 177                               | Rotheray, G.E., 102   |
| Garland, S., 227                                | Service, M.W., 94   |
| Garrido, A., 191                                | Shaw, M.R., 219, 227  |
| Genise, J.F., 35                                | Shelley, R.M., 189  |
| Godfrey, A., 136                                | Silveira, O.T., 71  |
| Graham, M.W.R. de V., 19, 21, 99, 121, 183, 187 | Smith, K.G.V., 70, 80, 130, 164, 174, 182, 194, 218, 222, 244, 256, v |
| Gunn, R.J.M., 197                               | Stobbs, R.H., 245   |
| Harbach, R.E., 190                              | Stork, N.E., 182  |
| Harris, K.M., 18                                | Thompson, J.L. Cloudsley-, 84   |
| Harrison, T.D., 148                             | Timmins, C.J., 66, 218  |
| Havelka, P., 211                                | Vardy, C.R., 188  |
| Henshaw, D.J. de C., 84                         | Verdcourt, B., 46, 65, 225  |
| Heyworth, M.F., 181                             | Welch, R.C., 49, 62   |
| Hollis, D., 86                                  | Whitehead, P.F., 119, 173, 194, 200                                   |
| Horsfield, D., 20                               | Whitney, C.L., 189  |
| Ismay, J.W., 1, 102, 136, 199                   | Woodward, J.C., 239   |
| Krell, F.-T., 55                                | Wright, J.F., 197   |

## GENERAL INDEX

- Aberdeenshire (S.) and Elgin, *Pityophthorus lichtensteini* (Ratz.) (Col., Scolytidae) in, with notes on its ecology and reported occurrences in Britain, 139
- Afrotropical record in the Limosininae (Dipt., Sphaeroceridae), a new, 195
- America, discovery of the millipede *Cylindroiulus vulnerarius* (Berlese) (Julida, Julidae) in North, 189
- Ancient woodland site for *Pediopsis tiliae* (Germar) (Hem., Cicadellidae), an, 226
- Angle Peninsula, Pembrokeshire, notable Coleoptera from the, including *Harpalus melancholicus* Dejean (Carabidae), 148
- Asia and Asia Minor, *Kaliofenusa* species (Hym., Tenthredinidae) from, including one new to science, 81
- Assemblage of Coleoptera, the role of meteorology in an unusually mixed, 200
- Bedfordshire, *Aderus brevicornis* (Perris) (Col., Aderidae) in an unusual habitat in, 48
- Beech, *Pyrridium sanguineum* (L.) (Col., Cerambycidae) on, 194
- Behaviour of leafcutting ant sexuals (Hym.) in the parental nest, 141
- Belaspidia* Masi, *Chalcis nigra* Siebold, 1856, belongs to the genus, 19
- Berkshire, *Athysanus argentarius* Metcalf (Hem. Hom., Cicadellidae) near Maidenhead, 225; *Uleiota planata* (L.) (Col., Cucujidae), *Enicmus rugosus* (Hbst) (Col., Lathrididae) and other insects under beech bark in, 65
- Bismarburg – two famous collecting localities in Africa, 55
- Black-beetle, use of the name, 46
- Brèthes, reclassification of the South American species of Braconinae (Hym., Braconidae) described by, 35
- Britain, *Apion* (*Helianthemapion*) *aciculare* Germar, a weevil new to, 177; *Cryptolaemus montrouzieri* Mulsant (Col., Coccinellidae) in, 45; *Hydrotaea lundbecki* (Michelsen, 1978) (Dipt., Muscidae), new to, 247; Notes on *Placochilus seladonicus* (Fall.) (Hem., Miridae) in, 209; *Rhynchaenus quercus* (L.) and *R. fagi* (L.) (Col., Curculionidae) mining introduced oaks in, 49; *Trichopria*, new to science, and *Sundholmiella giraudi* Kieffer (Hym., Proctotrupoidea, Diapriidae) new to, 201
- British, Encyrtidae (Hym., Chalcidoidea), diagnostic characters of some critical species of, 183; *Neohaplegis* Beschovski and *Cryptonevra* Lioy (Dipt., Chloropidae), a revision of, 1; Notes on some Staphylinidae (Col.) – 5. The genus *Atheta* Thoms.: three additions to the fauna, a reinstatement, and two new synonymies, 165; *Phloeopora bernhaueri* Lohse 1984, not *P. teres* (Gravenhorst) a British species, 173; recent specimens of *Baryproctus barypus* (Marshall) (Hym., Braconidae, Braconinae), 219
- British Isles, *Calathus cinctus* Motschulsky, a species of the *Calathus melanocephalus/mollis* complex (Col., Carabidae) in the, 131
- Caddis larvae in the Hancock Museum, Newcastle upon Tyne, two collections of, 245
- Character for the separation of two species of *Ampedus* (Col., Elateridae), a further, 204
- Coquebert, Antoine Jean (1753–1825), a unique holograph item from the library of, in the Hope Entomological Collections archives, University Museum, Oxford, 187
- Cumbria, *Chartoscrita elegantula* (Fln) (Hem., Saldidae) in west, 158
- Dorset, the population size of *Pseudomegoplistes squamiger* Fischer (Orth., Gryllidae) on Chesil Beach, 66; *Rhamphomyia physoprocta* Frey (Dipt., Empididae) in, 248
- East Anglian wetlands, Sciaridae (Dipt.) from, with descriptions of new species, 105
- Ecomorphosis in Collembola in Wales, 47
- Europe, a new synonym in the Limosininae (Dipt., Sphaeroceridae) from, 195
- European species of *Ormyrus* (Hym., Ormyridae), two new species of, 87; *Torymus* Dalman (Hym., Chalcidoidea), new species of, 21
- Farne Islands, *Forficula auricularia* L. (Dermapt., Forficulidae) in large numbers in the, 84
- Features to distinguish males as well as females of *Lathrobium fennicum* Renkonen and *L. quadratum* (Paykull) (Col., Staphylinidae), 67
- Female promiscuity maintains high fertility in ladybirds (Col., Coccinellidae), 205
- Fig wasps, are they hitch-hikers?, 137
- Fourcroy (1785), see Geoffroy
- France, the ant host (Hym., Formicidae) of a *Microselia* (Dipt., Phoridae) from, 227
- Further notes on *Anteon tripartitum* Kieffer (Hym., Dryinidae), 129; records of notable Coleoptera, 119
- Geoffroy (in Fourcroy 1785), the identity of some species of Chalcidoidea (Hym.) described by, with new synonymy, 121

- Germany, biting midges (Dipt., Ceratopogonidae) collected by emergence traps from various terrestrial habitats in southern, 211
- Gloucestershire, observations on the life cycle and behaviour of the hornet *Vespa crabro* L. (Hym., Vespidae) in, 159
- Great tussock sedge, *Carex paniculata* L. (Cyperaceae), insects associated with, 217
- Guernsey, and Herm, recent rare and scarce wasps and bees (Hym., Aculeata) recorded from, 103
- Hampshire, *Agrilus pannonicus* (Pill. & Mitt.) (Col., Buprestidae) in, 80; *Atractotomus parvulus* Reuter (Hem., Miridae) in, 77
- Hellebore aphid *Macrosiphum hellebori* Theobald & Walton (Hem., Aphididae), hoverfly (Dipt., Syrphidae) predators of the, 238
- Herm – see Guernsey
- Hertfordshire, three hoverflies (Dipt., Syrphidae) new to, with notes on others, 253
- Hostplant record for *Cionus scrophulariae* (L.) (Col., Curculionidae), a new, 186
- Ireland, *Cleonymus laticornis* Walker (Hym., Pteromalidae) new to, 76
- Irish, first record of, *Ptinus subpilosus* Sturm (Col., Ptinidae), 136; *Oligota parva* Kraatz (Col., Staphylinidae), an addition to list of, 54
- Islington [London], *Gryllus* sp. (Orth., Gryllidae) in, 84
- Java, mimicry of a *Paederus* species (Col., Staphylinidae) by a species of *Languriinae* (Col., Languriidae) in, 63
- Larva of *Pseudochartergus chartergoides* (Gribodo) (Hym., Vespidae, Polistinae), external morphology of, 71
- Leicestershire and Scotland, *Lamprochromus elegans* Mg. (Dipt., Dolichopodidae) new to, 136
- Life cycle of *Pseudomogoplistes squamiger* Fischer (Orthopt., Gryllidae), 218
- London, *Agrilus pannonicus* (Pill. & Mitt.) (Col., Buprestidae) in North, 80; *Gryllus* sp. (Orth., Gryllidae) in Islington, 84
- Meteorology, the role of, in an unusually mixed assemblage of Coleoptera, 200
- Middlesex (North London), *Agrilus pannonicus* (Pill. & Mitt.) (Col., Buprestidae) on buses in, 80
- Mimicry of a *Paederus* species (Col., Staphylinidae) by a species of *Langurinae* (Col., Languriidae) in Java, 63
- Mother-in-law's tongue, new thrips from, 95
- Museums, *Badonnelia titi* Pearman (Psocopt., Sphaeropsocidae) widespread in north west, 228
- Myiasis in a Venezuelan gecko (Sauria, Geckonidae), *Cistudinomyia* (Dipt., Sarcophagidae) causing, 223
- Neotropical Fanniidae (Diptera): a key to the *Fannia anthracina*-group, 229
- Nests, very late, of *Vespula germanica* (F.) and *V. vulgaris* (L.) (Hym., Vespidae) in southern and central England in 1991–92, 75
- Oaks, introduced in Britain, *Rhynchaenus quercus* (L.) and *R. fagi* (L.) (Col., Curculionidae) mining, 49
- OBITUARIES – E.C.M. d'Assis Fonseca, 249; C.F. Griffiths, 175
- Oxfordshire, a second specimen of *Gaurax britannicus* Deeming (Dipt., Chloropidae) from, 136; *Oscinimorpha sordissima* (Strobl) (Dipt., Chloropidae) in, 199; records of *Eribolus hungaricus* Becker (Dipt., Chloropidae) from, 102; *Trachys minuta* (L.) (Col., Buprestidae) in, 181
- Parasitoid (Hym., Figitidae) reared from *Copromyza stercoraria* (Meigen) (Dipt., Sphaeroceridae), 239
- Pembrokeshire, see Angle Peninsula
- Pheromone, an unusual, for *Aromia moschata* (L.) (Col., Cerambycidae), 62
- Predation, unusual, by a British social wasp (Hym., Vespidae) on a spider, 188
- REVIEWS – Belshaw, R., 1933, Tachinid Flies, Diptera: Tachinidae (*Handbk Ident. Br. Insects*), 246; Bright, D.E., 1993, The Weevils of Canada and Alaska, 1, Curculionidea, except Scolytidae and Curculionidae (*Insects and Arachnids of Canada*), xi; Chinery, M., 1992, Insects of Britain and Northern Europe (*Collins Field Guides*), 182; Cooper, B.E. & Cumming, J.M., 1993, Diptera Types in the Canadian National Collection of Insects, Part 2, Brachycera (not Schizophora), 256; Denton, M., 1993, Ground Beetles in the Yorkshire Museum, 222; Emmet, A.M. & Heath, J., 1992, Moths and Butterflies of Great Britain and Ireland 7(2) (Lasiocampidae to Thyatiridae) [paperback version], v; Footitt, R.G. & Richards, W.R., 1993, The Genera of the Aphids of Canada (Hom., Aphidoidea and Phylloxeroidea) (*Insects and Arachnids of Canada*), 172; Goater, B., 1992, The Butterflies and Moths of Hampshire and

- the Isle of Wight: Additions and Corrections (*U.K. Nature Conservation*), 102;
- Godfray, H.C.J.**, 1994, Parasitoids: Behavioral and Evolutionary Ecology, 255;
- Goulet, H.**, 1992, The Genera and Subgenera of the Sawflies of Canada and Alaska, Hymenoptera: Symphyta (*Insects and Arachnids of Canada*), 34; **Griffiths, G.C.D.**, 1987–1993, Flies of the Nearctic Region, Part 2, Nos 6–10, xv; **Kirby, K.J. & Drake, C.M.**, 1993, Dead Wood Matters: the Ecology and Conservation of Saproxyllic Invertebrates in Britain (*English Nature Science*), v; **Kneidel, S.**, 1994, Pet Bugs, a Kid's Guide to Catching and Keeping Touchable Insects, 244; **Luff, M.L.**, 1993, The Carabidae (Coleoptera) Larvae of Fennoscandia and Denmark (*Faun. Ent. Scand.*), 182; **Mamaev, B.M. & Krivosheina, N.P.**, 1993, The Larvae of the Gall Midges (Diptera, Cecidomyiidae), Comparative Morphology, Biology, Keys (translated by J.H. Wieffering), 18; **Ossiannilsson, F.**, 1992, The Psylloidea (Homoptera) of Fennoscandia and Denmark (*Faun. Ent. Scand.*), 86; **Parker, J. & Harley, B.**, (eds) 1992, Martin Lister's English Spiders 1678 (translated by M. Davies & B. Harley), 70; **Peacock, E.R.**, 1993, Adults and Larvae of Hide, Larder and Carpet Beetles and their Relatives (Col., Dermestidae) and of Derodontid Beetles (*Handbk Ident. Br. Insects*), 174; **Philp, E.**, 1993, The Butterflies of Kent, an Atlas of their Distribution, 194; **Pittaway, A.R.**, 1993, The Hawkmoths of the Western Palaearctic, 164; **Plant, C.W.**, 1993, Larger Moths of the London Area, 218; **Preston-Mafham, K.G.**, 1993, Bugs of the World, 221; **Preston-Mafham, Rod & Ken**, 1993, The Encyclopaedia of Land Invertebrate Behaviour, 222; **Roberts, M.J.**, 1993, The Spiders of Great Britain and Ireland [compact paperback edition], v; **Service, M.W.**, 1993, Mosquito Ecology: Field Sampling Methods, 2nd edn, 190; **Silfverberg, H.**, 1992, Enumeratio Coleopterorum Fennoscandia, Daniae et Baltiae, 171; **Stubbs, A.E.**, 1993, Provisional Atlas of the Ptychopterid Craneflies (Diptera: Ptychopteridae) of Britain and Ireland, 246; **Tanada, Y. & Kaya, H.K.**, 1993, Insect Pathology, 94.
- Salix*, adult sawflies (Hym., Symphyta) feeding on leaf pubescence of, 85
- Scottish Highlands, a second locality for *Phaonia pullata* (Czerny) (Dipt., Muscidae) in, 20
- Scotland, *Baetis digitatus* Bengtsson (Ephemeroptera) new to, with records from England and Wales, 197; *Brachythops wuestnii* (Konow) (Hym., Tenthredinidae, Selandriini) in Sutherland, 204; *Lamprochromus elegans* Mg. (Dipt., Dolichopodidae) new to, 136; see also Aberdeenshire
- Seychelles, effect of habitat destruction on endemic Dermaptera of the, 59
- Small parts storage, 84
- South American species of Braconinae (Hym., Braconidae) described by Brèthes, reclassification of, 35
- Spain, a new species of *Trichomalus* (Hym., Pteromalidae) from, 191
- Spinola, M. (1908), recognition of some species of Hymenoptera Chalcidoidea described by, with new synonymy, 99
- Surrey and Sussex, Recent records of *Agrilus pannonicus* (Pill. & Mitt.) (Col., Buprestidae), 80
- Swarming in *Miscogaster rufipes* Walker (Hym., Pteromalidae), 130
- Taxonomy, distribution and nesting biology of the *Vespa bicolor* group (Hym., Vespinae), 149
- Wales, ecomorphosis in Collembola in, 47
- Welsh record of *Ctenophora flaveolata* (F.) (Dipt., Tipulidae), a modern, 200
- Worcestershire, rural breeding populations of *Hypoconera punctatissima* (Roger) (Hym., Formicidae) in, 194
- Yorkshire, *Dorcus parallelepipedus* (L.) (Col., Lucanidae) in East, 62

## SPECIAL INDEX

New genera, and species, etc., are indicated by heavy type; genera and species new to Britain by an asterisk (\*).

## ARACHNIDA

Aranea 70  
Oecobius annulipes 174  
Opiliones 70  
Phalangium 70  
Philodromus v  
Zygiella x-notata 188

## COLEOPTERA

Acidota crenata 200  
Acrotena (s.g.) 169–70  
Acrotichis fascicularis 54; sanctaehelenae 120  
Adalia bipunctata 205–9  
Aderus brevicornis 48  
Agathidium nigripenne 200  
Agrilus pannonicus 80  
Aleochara brevipennis 119–20; ruficornis 120  
Amara curta 180  
Amidobia (s.g.) 168  
Ampedus pomonae, quercicola 204  
Amphimallon ochraceus 148  
Anadastus 63–5  
Anobium fulvicorne, punctatum 66  
Anopleta (s.g.) 166–9  
Anthonomus pomorum, spilotus 100  
Anthrenus 195, museorum, sarnicus 174  
Anthribus nebulosus 120  
Aphodius erraticus 120; plagiatus 148  
Apion 171; [s.l.] bischoffi xi; \*aciculare 177–81; haematodes 200  
Aplemonii 178  
Aridius nodifer 54  
Aromia moschata 62  
Atheta 171, 175; aegra 168; aterrima 170; \*atomaria 168; \*autumnalis 165, 170; basicornis 120, 165; benicki 169–70; corvina, depressicollis, glabricula 168; harwoodi 166; hypnorum 165; kochi 167; \*laevicauda 165–6, 170; luctuosa 168, 170; nanni, obfuscata 120; picicornis 168–9; puberula 166–70; pusilla 170; schmausi, semicircularis, strupiana, 167; subquadrata, taxiceroides 166; \*verulamii 166–8  
Atheta (s.g.) 165  
Atomaria 171; atricapilla 54; basalis 120  
Attagenus 174  
Attelabidae xi  
Auletobius congruus xi  
Bembidion 171; monticola, quinquestriatum, semipunctatum, testaceum 120  
Bitoma crenata 66  
'Blackbat', black-beetle 46

Brachinus crepitans 182  
Calathus cinctus, melanocephalus 133; micropterus 133, 200; mollis 133  
Calosoma inquisitor 200  
Cantharis obscura 200  
Carabidae 182, 222  
Catops longulus 120  
Cerylon ferrugineus 66  
Ceutorhynchus resedae 180  
Chalcoides nitidula 120  
Chlaenius nigricornis 148  
Cicindela campestris 222  
Cicindelidae 222  
Cionus scrophulariae 186  
Corticarina gibbosa 66  
Corylophus sublaevipennis 120  
Cryptolaemus montrouzieri 45–6  
Cryptolestes ferrugineus 120  
Cryptophagus angustus 139; laticollis, pilosus 54  
Ctenicera cuprea 200  
Curculionoidea xi  
Dendroxena quadrimaculata 200  
Dermestes 174  
Dinaraea angustula 200  
Dorcus parallelipipedus 62, 66  
Dryops nitidulus 148  
Dyschirius nitidus 148  
Elater miniatus, pomonae, praeustus 204  
Enicmus rugosus 65  
Ernobius mollis 140; nigrinus 139  
Euophryum confine 76  
Gabrius keysianus 148; splendidulus 65  
Gracilia minuta 76  
Harmonia 4-punctata 66, 206–9  
Harpalus melancholicus 148  
Helianthemapion 177–9  
Helochares lividus 148  
Hylesinus fraxini 31  
Ips acuminatus 139  
Laemophloeus ferrugineus 65  
Lathrobium fennicum, quadratum 67–9  
Leiodes calcarata, polita 172  
Lepersinus varius 31  
Limobius borealis 180  
Liogluta granigera 120, 165  
Litargus connexus 66  
Litodactylus leucogaster 148  
Magdalis armigera 200  
Medon fuscus 119  
Meligethes brevis 180  
Microdota (s.g.) 166, 168–9  
Mniusa incassata 200  
Molorchus minor 76, 200; umbellatarum 120  
Nanophyes 191, 193  
Nebria complanata 134  
Ochnia hederiae 76; ptinoides 200  
Oligota parva 54

Omphalapon xi  
 Onthophagus joannae 120  
 Onychapion 178  
 Orchestes quercus 49  
 Paederus ?jacobsoni 63–5  
 Paramalus flavicornis 65  
 Perapion 178–80  
 Pericartiellus durieui 191, 193  
 Phloeopora angustiformis 173;  
     \*bernhaueri 173–4; corticalis 173;  
     scribae 174; teres 173  
 Phrissotrichum 177–8  
 Phyllobius argentatus 200  
 Pirapion 178  
 Pityogenes bidentatus 139–40; quadridens  
     139  
 Pityophthorus lichtensteini, pubescens  
     139–40; scoticus 139  
 Plataraea brunnea 120  
 Platypodidae xi  
 Platyrrhinus resinosus 120  
 Poecilium alni 65  
 Pragensiella williamsi 168  
 Prionychus melanarius 120  
 Propylea 14-punctata 206  
 Ptenidium nitidum 54  
 Pterostichus madidus 46;  
     oblongopunctatus 200  
 Ptinella errabunda; taylorae 120  
 Ptinus subpilosus 136  
 pyrochroid larvae 66  
 Pyrrhidium sanguineum 194  
 Quedius boops 200; cruentus 65;  
     xanthopus 200  
 Rhinomacer attelaboides 139  
 Rhizophagus perforatus 200  
 Rhynchitidae xi  
 Rhynchaenus erythropus 49; fagi, quercus  
     49–53  
 Rhynchites cavifrons 120  
 Rugilus fragilis 119  
 Schizotus pectinicornis 200  
 Scymnus mimulus 200; schmidtii 148, 200;  
     suturalis 140  
 Silvanus unidentatus 65  
 Stephostethus lardarius 54  
 Strophosoma spp. 200  
 Synapion ebeninum 178  
 Temnorhynchus kasanganus 57  
 Thecturota williamsi 168  
 Thorictodes 174  
 Trachys minuta 181  
 Trixagus dermestoides 120  
 Trogoderma 174  
 Tychius pusillus 120  
 Uleiota planata 65  
 Xyleborus saxeseni 66

## COLLEMBOLA

Isotoma olivacea, tigrina 47

## DERMAPTERA

Antisolabis scotti 60; seychellensis 60–1  
 Brachylabis 60–1  
 Chaetolabia fryeri 60–1  
 Chaetospania gardineri 60; thoracica 61  
 Chelisothes morio 59–61  
 Echinosoma bolivari 60  
 Euborellia annulipes 59–60; femoralis,  
     stali 60  
 Forficula auricularia 84  
 Gonolabis electra 60  
 Labia curvicauda, minor 59–60; pilicornis  
     60  
 Labidura riparia 59–60  
 Marava arachidis 60; griveaudi 60–1  
 Spirolabia browni 60

## DICTYOPTERA

'Blackbat, black-beetle' 46  
 Blatta 46

## DIPTERA

Aedes aegypti 94  
 Agromyzidae 87  
 Alliopsis xv  
 Anisopodidae 241  
 Anolisimya 224  
 Anthomyia anthracina 232; armata 236  
 Apocephalus 227  
 Asilidae 256  
 Atrichopogon 211, 214–6; lucorum 213–4,  
     216; sp. 213  
 Australophyra 247  
 Auxanommata 227  
 Azelia 247; macquarti 241  
 Azeliini 247  
 Bombyliidae 256  
 Botanophila fonsecae 251  
 Bradysia aprica 105, 110–1, 113;  
     brunnipes 118; confinis 116, 118;  
     \*dolosa 111–3; fimbricauda 118;  
     fungicola 106, 112, 118; hilaris 114;  
     morio 116; nitidicollis 113, 118;  
     normalis 118; \*pectinata 105, 113–6,  
     118; \*semantica 114–6; subtilis 118;  
     triseriata 116  
 Bradysiopsis 106  
 Bufolucilia bufonivora 224  
 Caenosciara 105  
 Calliphora stygia 224  
 Calliphoridae s.l. 244  
 Cecidomyiidae 18, 24–5, 27, 87, 92, 256  
 Ceratopogon 215–6  
 Ceratopogonidae 241  
 Cerodontha fonsecai 251  
 Cheilosia griseiventris 254  
 Chironomidae 241

- Chlorops albitarsis* 26; *diadema* 8; *flavitarsis* 8, 10–1  
*Chrysogaster virescens* 253  
*Cistudinomyia cistudinis* 223–4  
*Coelomyia erythropis* 232  
*Copromyza equina*, *similis* 239; *stercoraria* 239–43  
*Corynoptera curvispinosa* 109, 118; \**densiseta* 106–9; \**echinocordyla* 107, 109–10; *forcipata* 107, 109–10, 118; *grothae* 109; *irmgardis*, *recurvispina*, *subparvula* 118  
*Cryptonevra consimilis*, *diadema* 1–2, 7–10, 13–14; *flavitarsis* 1–3, 7–11, 13–4; *inquilina*, *mongolica* 16; *nigritarsis* 1–3, 10–1, 13–4; *obscuripennis*, *rufipes* 16; *sasae* 15–6  
*Cryptophya lundbecki* 247  
*Ctenophora flaveolata*, *pectinicornis* 200  
*Ctenosciara hyalipennis* 118  
Culicidae 190  
*Culicoides* 211; *scoticus* 213, 215; *vexans* 213–4  
*Dasineura rosarum* 25  
*Dasyhelea* 215–6  
*Dasyphyma armata* 236  
*Dasyrphus lunulatus* 254  
*Delia armata*, *cerealis*, *neomexicana*, *xanthobasis* xv  
*Diocophora* 227  
Dolichopodidae 250  
*Dolichopus laticola* 106  
*Drymeia* 247  
*Elachisoma spinicosta* (syn. n.) 195  
*Empis chioptera* 248  
*Episyrphus balteatus* 238  
*Eriobolus hungaricus*, *slesvicensis* 102  
*Eumacronychia sternalis* 224  
*Eupeodes latifasciatus* 254  
*Fannia* 250; *albibasis* 232, 234; *albitarsis* 229–232; *anthracina* 229, 231–4; *anthracina* group 229; *armata* 233, 237; *bigoti* 229–31; *confusa* 230–2, 234–7; 'Dasyphyma' group 229; *errata* 236–7; *erratica* 233; *erythropis* 232–3; *pusilla* 236; *schmusei* 229, 231, 236; *setosa* 230–1, 234, 236–7; *steinella* 233, 236  
*Forcipomyia* 211, 216; *alacris*, *altaica*, *bipunctata* 213–4; *nigra* 213–4, 216; *sphagnophila*, *tenuisquama*, *titillans* 213–4  
*Formosina* 16  
*Gaurax britannicus* 136  
*Giraudiella inclusa* 14  
*Haplepis similis* 11; *divergens* 10–1; *nigritarsis* 13; *rufifrons* 8; *tarsata* 2, 6; t. var *glabra* 6  
*Homalomyia* 236; *bigoti* 234; *erythropis* 232  
*Homalura* 16  
*Hydrotaea* \**lundbecki* 247–8  
*Hyperlasion* 106; *curtipennis* 108; *wasmanni* 107–8  
*Lamprochromus elegans* 136  
*Leptocera curvinervis* 196; *nigra*-group 195; *salatigae* 195–6  
Lestremiinae 18  
*Limosina sylvatica* 241  
*Lipara* 1, 11–2, 14; *lucens* 11, 14; *pullitarsis*, *rufitarsis*, *similis* 14  
*Lycoriella* 105–6; *aupipila* 118; *bruckii* 106–110; *conspicua*, *mali*, *solani* 118; \**subbruckii* 106, 110–1  
Macrocerides 227  
*Madiza laevigata* 2, 4  
*Megaselia miki* 227  
*Meliscaeva auricollis* 238  
*Menziozola* 227  
*Merochlorops* 15–6  
*Metasyrphus latifasciatus* 254  
*Metoposarcophaga pachyprocta* 224  
*Microselia deemingi* 228; *forsiusi* 227; *riveriae* 227–8; *southwoodi* 227; *texana* 228  
*Mikiola fagi* 24  
Milichiidae 221  
*Monohelia* 215–6  
Mosquitoes 190  
Muscidae 250  
Mycetophilidae 256  
*Neohaplegis glabra* 1–5, 12; *mongolica* 16; *tarsata* 1–5, 12  
*Ophyra* 247; *pusilla*, *setosa* 236  
*Oscinis tarsata* 2, 4  
*Oscinomorpha sordissima* 199  
*Paradelia* xv  
*Parahydrotaea* 247  
*Parasyrphus punctulatus* 254  
*Phaonia aeneiventris*, *pullata* 20  
*Phytosciara* 106; *flavipes* 118  
*Pipunculus fonsceai* 251  
*Plastosciara* 105–6; *brachyptera*, *falcifera* 118; *salomonis* 108; \**taractica* 106–8  
*Platycheirus scambus* 254  
*Polietes lardaria* 241–2  
*Porricondyliini* 18  
*Potamia* 247  
*Pseudacteon* 227  
*Pseudothaumatomyia* 16  
Psychodidae 241  
*Ptychoptera agnes* 246  
*Rhabdophaga rosaria* 27  
*Rhamphomyia physoprocta* 248  
*Rhyncophoromyia* 227  
*Sarcophaga* 250; *cistudinis* 223; *striolata* 243  
*Scathophaga stercoraria* 241  
*Scatopsiara* 105, 116; *edwardsi* 117; *pusilla* 117–8; *quinquelineata* 118; \**subvvida* 115–7; *vitripennis* 118; *viva* 117–8; \**weiperti* 115, 117  
*Schwenkfeldina carbonaria* 118  
*Sciara aprica* 110; ?*flavimarginata*, *humeralis*, *nursei*, *thomae* 118  
Sciariidae 241  
*Serromyia* 211; *ledicola*, *morio* 213, 215

Simuliidae 94  
 Spelobia clunipes 241  
 Sphaerocerid puparia 201  
 Sphaeroceridae 195  
 Stefaniola salsolae 92  
 Syrphidae 256  
 Tachinidae 244  
 Telmaturgus tumidulus 106  
 Tephritidae 87  
 Termitosciara 105–6  
 Thaumaleidae 256  
 Thaumatomyia 15  
 Thoracochaeta brachystoma 195  
 Thricops 247  
 Tipulidae 241  
 Trichopoda 221  
 Trichosia pilosa, trochanterata 118  
 Trucidophora 227  
 Wachtliella rosarum 25  
 Xena 16  
 Zygoneura sciarina 118

#### EPEHEMEROPTERA

Baetis digitatus 197–8; fuscatus, niger,  
 rhodani, scambus 198  
 Centropilum luteolum 198

#### HEMIPTERA

Acompocoris pygmaeus 77  
 Acyrotosphon pisum 206  
 aphids 102 (honeydew), 172, 254  
 Aphis sp. 102  
 Aradus cinnamomeus 79  
 Athysanus argentarius 225–6  
 Atractotomus cooperi, kolenatii, 78;  
 magnicornis, mali 77–8; marcoi 78;  
 mirificus 77–8; morio 78; parvulus  
 77–9  
 Aulacorthum 172  
 Chartoscirta elegantula 158  
 Cimex viror 210  
 Cylloceria hystrix 200  
 delphacid 217  
 Dicranotropis hamata 225  
 Dolichonabis limbatus 225  
 Dufouriellus ater 66  
 Fimbriaphis 172  
 Illinoia 172  
 Ischnodemus sabuleti 200  
 Macrosiphum 172; hellebori 238  
 mealybug 46  
 Notastira elongata 225  
 Notonecta 94  
 Pediopsis tiliae 226  
 Phylloxeroidea 172  
 Placophis 172  
 Placochilus seladonicus 109–10  
 Psallus obscurus 77

Psammotettix 129–30  
 Psylloidea 86  
 scale insects 46  
 Sitobion 172  
 Stenocranus ?longipennis, major, minutus  
 217  
 Tetraneura 172  
 Xylocoris cursitans 66

#### HYMENOPTERA

Acromyrmex 141, 145; octospinosus 142  
 Allorhophoideus mirabilis 126  
 Ammophila sabulosa 104  
 Anastatus 126  
 Ancistrocerus trifasciatus 104  
 Andrena agilissima 103; coitana, dorsata  
 104; fulvago, nigriceps 103; oculata  
 104; pilipes 103  
 Andricus curvator 124; ?quadrilineatus  
 125  
 Anteon tripartitum 129  
 Anthophora quadrimaculatus 63; retusa  
 103  
 Aphidius ervi 238  
 Apis mellifera 76, 162  
 Aporus unicolor 103–4  
 Arachnospila anceps 104  
 Argogorytes fargei 103–4  
 Asaphes vulgaris 238  
 Astata pinguis 104  
 Athalia 85  
 Atta cephalotes 141–7  
 Aulacidea subterminalis 90  
 Aylax minor 89; papaveris, rhoeadis,  
 salviae 90  
 Baryproctus barypus 219–20; hungaricus  
 220  
 Belaspidea meridionalis 19; nigra 19–20;  
 obscura 19  
 Bombus spp. 162  
 Brachymeria minuta 127  
 Brachythops flavens, wuestnii 204  
 Bracon 35; barypus 219; pauloensis,  
 testaceus 39  
 Caenacis laeta 123  
 Caenocephus 34  
 Callimome 'Roboris' 32  
 Callimomus 21, 32  
 Camponotus acvapimensis, cruentatus  
 228; vagus 227  
 Cecidostiba fungosa, hilaris, rugifrons,  
 semifascia 122  
 Ceratosolen aelleni 138  
 Chalcis nigra 19–20  
 Cheiloneurus cocci 126  
 Cheirogaster 127  
 Chrysopa aenea, dimidiata, gloriosa 188;  
 rutiliventris 104  
 Chrysocharis kraussei 126  
 Cleoniminae 76

- Cleonymus laticornis* 76  
*Cleptes fulgens* 188  
*Coeloides* 35  
*Colletes fodiens*, *similis* 104  
*Comys albicoxa*, *bicolor*, *lecaniorum* 126  
*Copidosoma anceus* 183; *ancharus*, *babas* 184; *caniculare* 183; *dium* [error] 184; *dius* 183–4; *flagellare* 183; *genale*, *laevigatum* 184  
*Crossocerus elongatulus*, *megacephalus*, *quadrinaculatus* 104  
*Cyanopterus* 35  
*Cynipidae* 32, 87  
*Cynips antiquus* 127; *aurantii* 125–6; *auratus* 122; *bedeguaris* 121; *bifasciatus*, *circularis*, *cruciatus* 126; *divisa* 122–3; *eulophus* 126; *foliaceus* 124–5; *foliorum* 126; *fungosus* 122; *minutus* 124–5; *pomaceus* 122–4; *punctatus* 124; *quadrum* 127; [*sericea* 125]; *sericeus* 124–5; *tripunctatus* 127; *viridis* 122  
*Cyrtosoma* s. g. 89  
*Dasypoda altercat* 103  
*Deilagaon chrysolepidis* 137–8  
*Diachasma* 35  
*Digonogastra* 35; *agrorum*, *amabilis*, *ameghinoi*, *arribalzagai*, *basilaris*, *blandus*, *boutheryi*, *braconius*, *callidus*, *cameroni*, *caridei*, *caserensis*, *chacoensis* 38, 40; *chubutinus*, *colluncura*, *copelloi*, *corralensis*, *cuyanus*, *debilis*, *democrator*, *erythrocephalus*, *erythrosoma*, *explorator*, *falcator*, *fluminensis*, *friburgensis*, *guaruja*, *hilaris*, *horni*, *hortulator*, *huebrichi*, *humilis*, *jaculans*, *jujuyensis*, *laetabilis*, *lancearius*, *limitatus* 38, 41; *melanopyga*, *mendozanus*, *nephele* 38, 42; *oeceticola*, *pacificus*, *pactus*, *pamparum*, *paranensis*, *parasiticus*, *pedator*, *perforator*, *persimilis*, *persimilotriplus*, *pertinax*, *platensis*, *pocitensis*, *postpropinquus*, *postulator*, *propinquus*, *proximus* 39, 42; *puber*, *querandi*, *quichua*, *rex*, *rubriceps*, *saltensis*, *secutor*, s. var *semiventris*, *spadix*, *spiegazzini*, *striatulus* 39, 43; *strigator* 39, 44; *suavis* 39; *suavolus* 39, 43; *tacitus* 39; *tacitulus*, *terebrator*, *testaceator*, *testaceipalpis*, *tobarum* 39, 43 *tornowii* 39, 43–4; *tucumanus*, *tuyuparensis*, *ultor* 39, 44; *versicolor* 39, 43–4; *victor* 39, 44; *weyenberghi* 39  
*Diocontus insidiosus* 103  
*Diplolepis annulata*, *fuliginosa* 99; *pallipes* 100; *pendunculiventris* 101; *varians* 100  
*Dolerini* 34  
*Dolerus* spp. 85  
*Dolichovespula* spp. 160, 162  
*Elachestus cothurnatus*, *gradualis* 126  
*Empria* spp. 85  
*Encyrtus* 126; *aenescens* 185; *anceus* 183; *aurantii*, *barbatus*, *ceroplastis* 126; *congruus* 185; *dercilus* 184; *elbasus* 186; *flagellaris* 183; *machaeras*, *meges* 184; *pertiades* 184–5; *scuthis* 186; *sosius* 184–5; *thinaeus* 184  
*Entedon argon* 126  
*Episyrus rufipes* 104  
*Erdoesia tessellata* 127  
*Eulophus larvarum*, *ramicornis* 126  
*Eutelus jucundus*, *simplex* 125  
*Evagates pectinipes* 103–4; *siculus* 103  
*Gorytes laticinctus* 104  
*Habrocytus* 100  
*Hedychridium ardens*, *roseum* 104  
*Hemibracon* 35; *hortulator* 38, 44  
*Heydenis pretiosa* 127  
*Hylaeus brevicornis*, *communis*, *hyalinatus* 104  
*Hypoponera punctatissima* 194  
*Ichneumon fulgens* 22; *ramicornis* 126  
*Iphiaulax* 35; *agrorum*, *amabilis*, *ameghinoi*, *arribalzagai*, *basilaris*, *blandus*, *boutheryi*, *braconius* 38, 40; *'caicus'* [error] 40; *callidus*, *cameroni*, *caridei*, *caserensis*, *chacoensis* 38, 40; *chubutinus*, *colluncura*, *copelloi*, *corralensis*, *cuyanus*, *debilis*, *democrator*, *erythrocephalus*, *erythrosoma* 38, 41; *excisus* 38; *explorator*, *falcator*, *fluminensis*, *friburgensis*, *guaruja*, *hilaris*, *horni* 38, 41; *hortulator* 38, 44; *huebrichi* 38, 41; *huergoi* 38, 44; *humilis*, *jaculans*, *jujuyensis*, *laetabilis*, *lancearius*, *limitatus* 38, 41; *melanopyga*, *mendozanus*, *nephele* 38, 42; *oeceticola* 42; *pacificus*, *pactus*, *pamparum*, *paranensis*, *parasiticus*, *pedator*, *perforator* 39, 42; *persimilis* 39; *persimilotriplus*, *pertinax*, *platensis*, *pocitensis*, *postpropinquus*, *postulator* 39, 42; *propinquus* 39; *proximus* 39, 42; *puber*, *querandi*, *quichua*, *rex*, *rubriceps*, *saltensis*, *secutor*, s. var *semiventris*, *spadix*, *spiegazzini*, *striatulus* 39, 43; *strigator* 39, 44; *suavis* 39; *suavolus* 39, 43; *tacitus* 39; *tacitulus*, *terebrator*, *testaceator*, *testaceipalpis*, *tobarum* 39, 43 *tornowii* 39, 43–4; *tucumanus*, *tuyuparensis*, *ultor*, *versicolor*, *victor*, *weyenberghi* 39, 44  
*Ipobracon* 35; *bonaerensis* 38; *guaruja* 35, 38; *horni*, 36, 38; *oeceticola* 39, 42  
*Ixodiphagus* 137  
*Kaliofenusa altenhoferi*, *carpinifoliae* 83; *ulmi laevinota*, u. *ulmi*, *zinovjevi* 81–3  
*Lasioglossum quadrinotatum* 103; *villosulum* 104  
*Leptothorax tuborum* 180  
*Lioterphus* 21  
*Loderus vestigialis* 85

- Megabraccon 35; huergoi 38, 44  
 Megachile leachella 103  
 Merismus aculeata 101; splendidus 100  
 Mesopolobus 123; fasciventris 125;  
   jucundus, sericeus 124  
 Microdontomerus cothurnatus 99  
 Miscogaster rufipes 130  
 Monophadnoides spp. 85  
 Monophadnus pallescens 85  
 Myrmica rubra 146, ruginodis 217  
 Nasonia 255  
 Nematini 34  
 Nematus 34; mendicus, oligospilus 85  
 Nesosolandria 34  
 Nomada fucata 103–4; fulvicornis 103;  
   rufipes 104  
 Nysus interruptus 103  
 Omalus aeneus 102  
 Omphale acamas 127  
 Opius brasiliensis 35  
 Ormyrus gibbus 87  
 Ormyrus arduanensis 93; **capsalis** 87–90;  
   decaryi 89; diffinis 93; langlandi,  
   longicornis 89; **monegricus** 90–3;  
   oranensis 93; papaveris 88, 90;  
   salmanticus, speculifer 89; wachtlei 88,  
   90  
 Oxybelus uniflumis 104  
 Paraholaspis cothurnatus 99  
 Paratrechina melanderi 228  
 Pediobius 126  
 Pemphredon lethifer 104  
 Pemphredoninae 102  
 Periglyphis gastris 123  
 Phaenopria incrassata 201  
 Phanacis centaureae 90  
 Pheidole constipata 228  
 Philanthus triangulum 103–4  
 Platytermus 125  
 Plutothrix trifasciatus 127  
 Podalonia affinis 103  
 Polemochartus liparae, melas 11  
 Polybia 73–4  
 Praon volucre 238  
 Protopolybia 71, 73–5  
 Pseudochartergus chartergoides 71–5  
 Psilommina 203  
 Pteromalus annulicornis 122; elevatus,  
   grandis 100; hilaris 122; latipennis 100;  
   leucopezus 122; musaeus 100;  
   naubolus 122; spinolae, tenuicornis 100  
 Seliodus 35; testaceus 39  
 Siphonura brevicauda 123; cyanostethus,  
   gallaequercus 124; punctulata 93;  
   sericea, viridiaenea 123  
 Sphacophilus apios 85  
 Sphecidae 102  
 Sphecodes marginatus 103–4  
 Sphegigaster aculeata, pedunculiventris  
   101  
 Spheg dearticulata 128; femoralis 127;  
   myrifex [nigrifex mis-spelling] 128  
 \*Sundholmiella giraudi 201  
 Syntomaspis 21, 32  
 Tachysphex obscuripennis 103–4;  
   unicolor 104  
 Torymus 188; amurensis 27; arundinis 29;  
   auratus 122; **austriacus** 30–2;  
   bedeguaris 24–5, 121–2; boheman[ni]  
   29; **boops** 23–4; cerri 21; chloromerus  
   group 25–6; cyaneus group 21;  
   erucarum group 32–3; erucarum 99;  
   fagi 22; **fagineus** 22–3; fastuosus 21;  
   fulgens 22; 'fulgens' 24; fungosus 122;  
   **gracilior** 21–3; hederæ 22; **\*hylesini**  
   29–31; insolitus 27; **\*lampros** 27–30;  
   **narvikensis** 23, 26–7; nitens 121; nobilis  
   33; notatus 21–2; **novitzkyi** 27–8;  
   pulchellus 27, 29; roboris 32;  
   saliciperdae 27; **salicis** 23, 27–8;  
   scutellaris 99; seminum 31; speciosus  
   group 22; speciosus 29; **\*stenus** 23,  
   25–6; tipulariarum group 27; viridis  
   122  
 Trachymyrmex 141  
 Tribacus 93  
 Trichomalus **alonsoi** 191–3; fulvipes,  
   perfectus, rufinus 193  
 Trichopria cameroni 201–2; fulicola 201;  
   incrassata 202; **\*quadrifida** 201–2  
 Vespa ardens 152; auraria 149–52, 157;  
   bellicosa 149–50; bicolor 149–51, 155,  
   157; b. citriventris 150–2; celebensis  
   152; crabro 159; divergens 152;  
   dybowskii 154; flavitarsis, floresiana  
   152; karnyi 152; minuta 127;  
   multimaculata 149–50; nigrithorax 152;  
   pruthii 152–3; simillima 149–51,  
   153–5; sumbana, timorensis, variana  
   152; velutina 149–52, 156; vivax  
   149–51, 153, 156; wilemani 153  
 Vespula germanica 75–6, 162, 188; rufa  
   103; vulgaris 75–6, 162; spp. 160, 162  
 Vipio 35; fiebrigi 38, 44; strigator 39, 44  
 Zygonis urticeti 239, 242–3

---

## LEPIDOPTERA

- Agrius cingulatus 164  
 butterfly houses 46; of Kent 194  
 butterflies and moths 102  
 Chilo phragmitella 220  
 hawkmoths 164  
 Hyles hippophaea, nicea 164  
 larvae 13–5 (in stems), 49  
 Lasiocampidae v  
 Manduca quinquemaculatus, rustica,  
   sexta 164  
 Microlepidoptera v  
 Phyllonorycter messaniella 49  
 Plutella xylostella 94  
 Proserpinus proserpinus 164  
 Psyche helix 19  
 Sphingidae 164

Sphinx drupiferarum 164  
 stem miners 14-5  
 Thyatiridae v

---

## NEUROPTERA

Hemerobius pini 254

---

## ORTHOPTERA

Chorthippus parallelus 225  
 Gryllus bimaculatus, campestris 84  
 Nemobius sylvestris 66, 218  
 Pseudomogoplistes squamiger 66, 218

---

## PSOCOPTERA

Badonnelia titei 228  
 Sphaeropsocidae 228

---

## THYSANOPTERA

Antillothrips 95  
 Karnyothrips \*melaleucus 98  
 Phlaeothripinae 95-7  
 Sophiothrips terminalis 97  
 \*Suocerathrips linguis 96-7  
 Thripidae 95  
 Williamsiella 97

---

## TRICHOPTERA

Beraeidae 245  
 Brachycentridae 245  
 Goeridae 245  
 Lepidostomatidae 245  
 Leptoceridae 245  
 Limnephilidae 245  
 Limnephilus tauricus 246  
 Molannidae 245  
 Odontoceridae 245  
 Phryganidae 245  
 Sericostomatidae 245

---

## GROUPS OTHER THAN INSECTA AND ARACHNIDA

Amphibia 224-5  
 Aves 84  
 Mammalia 57, 137-8  
 Myriapoda 189  
 Reptilia 223-5

---

## ERRATA AND CORRIGENDA

Page	Line	For	Read
40	18 (up)	ws	was
41	21 (up)	<i>heubrichi</i>	<i>huebrichi</i>
152	14	<i>karyni</i>	<i>karnyi</i>
200	15 (up)	<i>Ryzophagus</i>	<i>Rhizophagus</i>
223	11	19.vii.1991	29.vii.1991
241	14 (up)	<i>maquarti</i>	<i>macquarti</i>
vi	7	number	numbers

In addition, '30th November, 1994 Vol. 130 (1994)' was omitted from the foot of page 195



